

A Complete Line of Molded, Self-Adhesive, Polyurethane Bumpers Available in Clear, Black, Brown, Gray & White

Manufacturing Bumpers is our only business, and we offer the Most Competitive Prices in the industry!

Our Bumpers are 100% Polyurethane. We use no plasticizers, oils or fillers which are widely used in our competitors' products.

We offer Bumpers with two different Pressure Sensitive Adhesives:

- An Aggressive Synthetic Rubber or
- A High Performance Acrylic to meet your specific requirements.

Custom shapes, sizes, colors and pad configurations are available upon request.

Bumpers are 'kiss-cut' on a protective release liner. Simply peel the bumper from the liner and apply anywhere protection is needed.

Our crystal Clear Bumpers are practically invisible when applied to colored or see-through surfaces such as glass or plastic.

Same Day Shipping of In-Stock Parts will meet critical deadlines to satisfy your needs and the needs of your customers.

APPLICATIONS

- Cabinets
- Picture Frames
- Electronics
- Computers
- Circuit Boards
- Cutting Boards
- Automotive
- Medical
- Packaging
- Furniture
- POP Displays
- Building Materials
- DIY

APPLIES QUICKLY & EASILY - WHEREVER PROTECTION IS NEEDED



Holds Cutting Boards firmly in place on all counter surfaces.

Acrylic Adhesive withstands the most extreme conditions of a dishwasher ...

RECOMMENDED PROFILES All profiles. Specify Acrylic Adhesive



... keeps Picture Frames stable, preventing them from marking and damaging walls ...

RECOMMENDED PROFILES Large Frames: BS-4, BS-8, BS-11, BS-15, BS-17, BS-19, BS-29, BS-37, BS-47, BS-57 Small Frames: BS-1, BS-2, BS-3, BS-6, BS-12, BS-18, BS-22, BS-35



... dampens harsh sounds of slamming Cabinet Doors, Drawers and Lids ...

RECOMMENDED PROFILES
For our New Softer Durometer,
please specify with suffix -SD
BS-1-SD, BS-12-SD
Our Standard Line of Bumpers
BS-1, BS-5, BS-7, BS-12, BS-27,
BS-34, BS-40



... prevents Speakers, Electronics, and Computer Equipment from vibrating or sliding. Will not mar, scratch or stain tables ...

RECOMMENDED PROFILES BS-1, BS-2, BS-3, BS-4, BS-5, BS-7, BS-12, BS-18, BS-20, BS-22, BS-27,BS-32, BS-34, BS-35



... quiets Doorknobs, eliminating nicks and unsightly damage to walls behind doors.

RECOMMENDED PROFILE BS-30

PHONE 800.541.2500

www.bumperspecialties.com

FAX 800.220.2840

email: bumper@snip.net

For more detailed information about Bumper Specialties' products, please contact a customer service representative.

CYLINDRICAL

HEMISPHERICAL

Product Number		Dimensions Tolerance: ± .020" (0.5mm)			Pieces	Product Number		Dimensions Tolerance: ± .020" (0.5mm)			Pieces
BS 1 BS 1-SD*	0	Ø \$.500" .140"	12.7mm 3.5mm	200 Per Pad 5,000 Per Ctn	BS 2	•	Ø \$.440"	11.1mm 5.1mm	242 Per Pad 5,082 Per Ctn
BS 5	0	Ø \$.500"	12.7mm 1.5mm	200 Per Pad 5,000 Per Ctn	BS 7		Ø \$.335"	8.5mm 2.2mm	450 Per Pad 5,400 Per Ctn
BS 6	9	Ø \$.500" .250"	12.7mm 6.4mm	200 Per Pad 5,000 Per Ctn	BS 8	•	Ø \$.700" .380"	17.8mm 9.6mm	98 Per Pad 2,254 Per Ctn
BS 11	8	Ø \$.650" .400"	16.5mm 10.2mm	128 Per Pad 2,560 Per Ctn	BS 12 BS 12-SD*		Ø \$.375" .150"	9.5mm 3.8mm	200 Per Pad 5,000 Per Ctn
BS 18	9	Ø \$.500" .140"	12.7mm 3.5mm	200 Per Pad 5,000 Per Ctn	BS 15	•	Ø \$.620" .310"	15.7mm 7.9mm	128 Per Pad 3,200 Per Ctn
BS 24		Ø \$.810" .120"	20.6mm 3.0mm	72 Per Pad 2,520 Per Ctn	BS 22		Ø \$.375"	9.5mm 5.4mm	300 Per Pad 6,000 Per Ctn
BS 34	9	Ø \$.375" .125"	9.5mm 3.2mm	300 Per Pad 6,000 Per Ctn	BS 27		Ø \$.312"	7.9mm 2.2mm	450 Per Pad 5,400 Per Ctn
BS 35	9	Ø ↑	.375" .190"	9.5mm 4.8mm	200 Per Pad 5,000 Per Ctn	BS 39		Ø \$.750" .075"	19.1mm 1.9mm	84 Per Pad 5,040 Per Ctn
BS 41	9	Ø \$.780" .200"	19.8mm 5.1mm	84 Per Pad 3,360 Per Ctn	BS 40		Ø \$.250"	6.4mm 1.6mm	578 Per Pad 15,028 Per Ctr
BS 44	•	Ø \$.750" .160"	19.1mm 4.1mm	98 Per Pad 2,450 Per Ctn	BS 37	1	Ø \$.720" .560"	18.3mm 14.2mm	1 Per Pad or 4 Per Pad 1,500 Per Ctn







Additional Colors :





Brown



Our most popular bumpers! Every bumper is available in Clear and Black. The crystal clear bumper is nearly invisible when used for translucent or see-through applications.

SQUARE

SPECIALTY

Product Number	Dimensions Tolerance: ± .020" (0.5mm)			Pieces	Product Number	Dimensions Tolerance: ± .020" (0.5mm)			Pieces
BS 3	⇔ ↑	.500" .230"	12.7mm 5.8mm	200 Per Pad 5,000 Per Ctn	BS 33 BS 33-SD*	Ø \$.500" .150"	12.7mm 3.8mm	200 Per Pad 5,000 Per Ctn
BS 4	$\overset{\longleftrightarrow}{\uparrow}$.780" .380"	19.8mm 9.7mm	1 Per Pad 2,000 Per Ctn	BS 37	Ø \$.720" .560"	18.3mm 14.2mm	1 Per Pad 1,000 Per Ctn
BS 19	$\stackrel{\longleftrightarrow}{\updownarrow}$.810" .300"	20.6mm 7.6mm	98 Per Pad 2,646 Per Ctn	BS 47	Ø \$.750" 750"	19.1mm 19.1mm	1 or 4 Per Pad 2,646 Per Ctn
BS 20	$\stackrel{\longleftrightarrow}{\updownarrow}$.400" .100"	10.2mm 2.5mm	242 Per Pad 5,082 Per Ctn	BS 57	Ø \$.787" .886"	20.mm 22.5mm	1 or 4 Per Pad 1,000 Per Ctn
BS 29	$\stackrel{\longleftrightarrow}{\updownarrow}$.780" .250"	19.8mm 6.4mm	98 Per Pad 2,940 Per Ctn	BS 17	Ø \$.780" .250"	19.8mm 6.4mm	98 Per Pad 2,940 Per Ctn
BS 32	$\stackrel{\longleftrightarrow}{\updownarrow}$.500" .120"	12.7mm 3.0mm	200 Per Pad 5,000 Per Ctn		Ø	1.810"	46.0mm 15.2mm	1 Per Pad 500 Per Ctn
BS 36	$\Leftrightarrow \\ \updownarrow$	1.000"	25.4mm 4.6mm	55 Per Pad 2,310 Per Ctn	BS 30	1	.000	13.2[[[[[]	JUU FEI GUI

Custom Shapes & Colors

We are the only company that provides full engineering support to help you design a bumper to meet your particular needs! Our staff will meticulously assist your company with the completion of any project. A one-time charge (this differs with size) for tooling and set-up applies. Your final cost/m (m=thousand), will be consistent with our existing line of bumpers. The volume of polyurethane required for the custom shapes, difficulty of manufacturing, normal and customary waste are factors in pricing.

You can be assured we are dedicated to providing you with the most competitive prices in the global marketplace!

Special Die-Cut Pads

Available die-cut in strips or smaller pads for a minimal cost/m and a one-time tool charge.

FEATURES & GENERAL INFORMATION

- Superb Coefficient of Friction and Resistance to Skidding
- Contains NO Plasticizers, Oils or Fillers commonly used in our competitors' products
- **✓** UL Recognized Component
- ✓ Crack-Resistant and Resilient
- √ Easy 'Peel-Off' Application
- ✓ Non-Staining and Non-Marring
- ✓ Superior Abrasion Resistance
- ✓ Vibration and Shock Dampening

Adhesive Systems We offer both adhesives at the same low price!

BSI-94 High Performance Acrylic Adhesive

BSI-95 Aggressive Synthetic Rubber Adhesive

Softer Durometer for Sound Dampening



A new softer durometer is offered in two of our standard profiles; BS 1-SD, BS 12-SD and BS 33-SD. (The -SD suffix designates the softer durometer.) Please call for the availability of other profiles. Not for load bearing applications. See technical information on our website at www.bumpersepcialties.com